TO : Project Director

DATE: 15 h rch 1957

Louis tropics birector

THOU : Project Contracting Officer

FROM : Project Communications difficer

SUBJECT:

Requirement for Auditional Electronics Personnel with

Field Detachments

REF:

CMCC Locument No. 151X5.447 from Hamo and Wooldringe

System Four to be eventually maintained by the Field Detachments and expresses concern that there is inadequate technical personnel support at the Field Detachments to properly maintain these electronic equipments.

- 2. This office does agree with that difficulty is being experienced with the special equipments and that rield betachment personnel have had to contend with modification operations in addition to perferming the routine mainten nee of special systems and conventional hase equipments. However, this office has programmed to maintain System I, system II, and associated equipment in addition to performing the tape duplicating function for all Elint systems including System IV. These functions are within the capabilities of the betachment sechnical staffs and, with the hoped for improvement in special system performance in the near future, man hours can be shifted to tape duplicating duties when full operations commence.
- Wooldridge would provide technical representatives for system Four (Airborne) end initially for the associated ground processing equipments. The Field Detachment personnel will assume responsibility for maintenance of the System Four ground processing equipments at such time as these units are reliably performing. You may recall that this agreement was reached in approximately SX1A July 1955 at which time stated that the complexity of System Four would require the maintenance cervices of highly skilled, plant trained Field Engineers. As the Project would have experienced ground difficulty in recruiting technical personnel of this calibre and as the period of training was extremely uncertain it appeared to be in the best interests of the Project to have taked and Wooldridge furnish the necessary personnel for System Four.

  25X
  - mumber of technical p roomel required in support of System Four and, for a temperary period, the System Four ground processing equipments. The request should be presented in this manner to in order to clearly stipulate 25X1A that System Four support only is required and to avoid confusing this requirement with the technical maintanance currently being provided by the Field Detachments.

DOCUMENT NO. IN CHANGE IN CLASS. CI DECLASSIFIED CLASS. CHANGED TO: TS B C C C C C NEXT REVIEW DATE:

25X1A.

W \* ( Y)

Appro 124 Pelease 2000/04/18 : CIA-RDP81B00878R001400060055-6

25X1A